





Hazard Classification and Identification Report for Transport of Goods

锂电池类物品

样品名称:

TempTrak Pro温度记录仪(内置纽扣式锂电池CR2450 3.0V 620mAh)

Sample name:

TempTrak Pro Temperature Data Logger

委托单位:

深圳益欧科技有限公司

Shenzhen EO Technology Co., Ltd.

生产单位:

深圳益欧科技有限公司

Shenzhen EO Technology Co., Ltd.









Hazard Classification and Identification Report for Transport of Goods

NO. 212400356959514 Page 1/3

			for Transport o	of Goods			
样品名和		文	TempTrak Pro温度记录仪 (内置纽扣式锂电池CR2450 3.0V 620mAh)				
Sample Na	英 Eng	文	pTrak Pro Temperature Da	ata Logger			
委托单位 Applicant			深圳益欧科技有限公司 Shenzhen EO Technology Co., Ltd.				
生产单位 Manufacturer			深圳益欧科技有限公司 Shenzhen EO Technology Co., Ltd.				
检验方法、程序 Inspection method and procedure		cedure IMO					
样品外观 Sample appearance			白色塑胶外壳 White Plastics cement shell				
包装件信息 Package information		on /					
	电池种类 Battery type 不可充电锂金属电池芯 Primary Li-metal cell		型号 Model CR2450	/锂含量	apacity Li content / ≤0.3g	放置方式 Placement 安装在设备内 Contained in equipment	
鉴定	2. 海运按 Code)	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMC Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188. 3. 包装要求(Packaging requirements) 无。 None.					
A4 C							
抢 ON ON	3. 包装要 无。 None.						
	检验日 Inspecti	期: on Date:	24-11-04	2024-11-04	生效日期: Effective Date	2024-11-04	
备注 Commer	nt						

批准 Approver: 七舅 审核 专 管域 Checker: 主检 Appraiser:

品情



が海水

Hazard Classification and Identification Report for Transport of Goods

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things						
1	本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.						
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812200100367185 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.						
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained.						
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.						
5	每个包装件必须标示恰当的锂电池标记。 本要求不适用于: —包装件仅含有安装在设备(包括线路板)内的钮扣电池: 或 —托运货物不超过2个包装件,且每个包装件中安装在设备内的电池芯不超过4颗或电池组不超过2颗。 Each package shall be marked with the appropriate lithium battery mark. This requirement does not apply to: —packages containing only button cell batteries installed in equipment (including circuit boards); or—consignments of two packages or less where each package contains no more than four cells or two batteries installed in equipment.						
6							
7							
	-验证码:648257-						



Hazard Classification and Identification Report for Transport of Goods

NO. 212400356959514 Page 3/3





报告结束