

Canning Fittings for the HiTemp140 Data Logger Series

The CF200 and CF202 Canning Fitting securely attached MadgeTech HiTemp140 data logggers to jars, lids, cans and other containers for internal temperature monitoring for heat penetration tests and temperature distribution studies.

The CF200 and CF202 can withstand temperatures up to 140 °C (284 °F), making it ideal for use in a variety of canning applications, in a wide range of industries and environments

SPECIFICATIONS				
MadgeTech Data Logger Compatibility	CF200: CF202: HiTemp140-FP HiTemp140-PT-5 HiTemp140-2-TD HiTemp140-5.25-TD			
Operating Environment	-40 °C to +140 °C (-40 °F to +284 °F) 0 %RH to 100 %RH, 0.002 PSIA to 100 PSIA			
Dimensions	0.87 in x 0.87 in x 0.85 in (22.1 mm x 22.1 mm x 21.6 mm)			
Required Container Hole Size	9/16 in dia.			
Weight	28 g (0.99 oz)			
Materials	Food Grade 316 Stainless Steel, Silicone Rubber			

\*Specifications are subject to change without notice. Specific warranty remedy limitations apply. Call (603) 456-2011 or go to madgetech.com for details.



- Durable Stainless Steel & Silicone Components
- Compact
- Secure Water Tight Seal
- Easily Adjustable
- Suitable for a wide variety of packaging types

## **Applications**

Monitoring internal temperatures of food processing and packaging:

- Cans
- Jars
- Soft Pouches
- Rigid Plastic Containers
- Retort Packages

Data Logger Sold Separately



	riastic cups	Caris	
ORDERING INFORMATION			

ORDERING INFORMATION		
CF200	901911-00	Canning fitting for use with HiTemp140-FP, HiTemp140-PT and HiTemp140-TDs
CF202	902430-00	Canning fitting for use with HiTemp140-CF